

H1N1 Swine Flu Vaccine Facts to Consider

In order to make informed vaccine decisions, you must know what the ingredients are in the vaccine. There are no long-term safety studies done on any vaccines, including the flu vaccines. This new flu vaccine will be released without adequate safety studies.

Common Flu Vaccine Ingredients include:

- Egg protein, many are allergic to eggs
- Formaldehyde- Formalyn (formalin) is a 37 percent solution of gaseous formaldehyde which includes methanol. (Used in vaccines as a tissue fixative) Formaldehyde solution (formalin) is considered a hazardous compound and it is vapor toxic.
- Polysorbate 80 shown to cause infertility in mice
- Sodium Chloride and Calcium Chloride
- Monosodium Glutamate (MSG): $C_5H_8NNaO_4$, a Stabilizer MSG - MSG intolerance: There have been numerous studies of allergies and/or sensitivities to MSG, attributed to the free glutamic acid component, which has been blamed for causing a wide variety of physical symptoms such as migraines, nausea, digestive upsets, drowsiness, heart palpitation, hair loss, asthma, anaphylactic shock, rapidly increasing diabetes, and many other complaints.
- Potassium phosphate- a soluble salt which is used as a fertilizer, a food additive and a fungicide. It is a source of phosphorus and potassium. It is also a buffering agent.
- Thimerosal- a form of mercury still found in some multi-vile vaccines.
- Polyoxidonium- Synthetic polymers and nanomaterials display selective phenotypic effects in cells and in the body that affect signal transduction mechanisms involved in inflammation, differentiation, proliferation, and apoptosis. When physically mixed or covalently conjugated with cytotoxic agents, bacterial DNA or antigens, polymers can drastically alter specific genetically controlled responses to these agents.
- Squalene- An oil based adjuvant that has never been approved in the US as safe, can cause blindness, autoimmune dysfunction and can inhibit sperm production. More than two dozen peer-reviewed scientific papers from ten different laboratories throughout the U.S., Europe, Asia, and Australia have been published documenting the development of autoimmune disease in animals subjected to

squalene-based adjuvants. Novartis will make a flu vaccine using MF59 consisting of Squalene, Tween 80 - A recent study (December 2005) discovered that Tween80 can cause anaphylaxis, a sometimes fatal reaction characterized by a sharp drop in blood pressure, hives, and breathing difficulties.

- Span85 another oil
- Human Diploid Tissue- organ and tissue from aborted baby tissue is now used in manufacturing many vaccines.
- Vaccines given in the past have contained H1N1 viruses; this is not a new virus. (novaccine.com)

For complete ingredient list go to
World Association of Vaccine Education (WAVE)
www.novaccine.com

It all started in Feb, 2009

In the News:

Feb 27, 2009 Toronto Sun, A large consignment of seasonal flu vaccine, which was circulated to **18 European countries**, has been infected with deadly live avian flu virus. The Company that released contaminated flu virus material from a plant in Austria, Baxter International, confirmed Friday that the experimental product contained live **H5N1 avian flu** viruses. And an official of the World Health Organization's European operation said the body is closely monitoring the investigation into the events that took place at Baxter International's research facility in Orth-Donau, Austria.

The contaminated product, which Baxter calls "experimental virus material," was made at the Orth-Donau research facility. **Baxter makes its flu vaccine including a human H5N1 vaccine for which a license is expected shortly at a facility in the Czech Republic.**

News: From the Center of DiseaseControl - What are the signs and symptoms of this virus in people?

The symptoms of novel **H1N1** flu virus in people are similar to the symptoms of **seasonal flu** and include fever, cough, sore throat, runny or stuffy nose, body aches, headache, chills and fatigue. A significant number of people who have been infected with this virus also have reported

diarrhea and vomiting. Also, like seasonal flu, severe illnesses and death has occurred as a result of illness associated with this virus. It's not known at this time how severe novel H1N1 flu virus will be in the general population. In seasonal flu, there are certain people that are at higher risk of serious flu-related complications.

The CDC is recommending that all people take 2 regular flu vaccines and one **H1N1** vaccine this year. Giving multiple Flu vaccines has never been tested for safety. Never have children or adults taken 3 vaccines in one flu season.

When Medicare began to cover the flu vaccine for seniors, the hospital visits for seniors went up dramatically that year from complications.

1997 Swine Flu Vaccine - The last time we had a swine flu **H1N1** vaccine, there were 25 deaths from the vaccine and only one death from the flu. The vaccine program was pulled and considered a disaster. For information, see Congressman and medical doctor, Ron Paul, on YouTube, CNN and ABC Reports.

Some major concerns that have not been address:

- Fast tracked by the FDA, very little testing for safety
- Will only be tested a few weeks on a few hundred adults and children
- Going to give it to the children and pregnant mothers first
- One-size fits all- babies will get the same vaccine as a 280lb man; this is not sound science and carries grave risks for the children or those who are immune sensitive.
- We now have a whole generation of children who are immune compromised and are suffering with autism, ADHD, seizure disorders, diabetes and asthma. These children could potentially have severe reaction to this vaccine.
- First responders will be next, police, firemen, EMS, nurses...

- 2001 a bill was passed that totally protects any vaccine manufacture free of all liability from injury or death!
- Drug companies were given billions of tax dollars to develop experimental flu vaccines last year
- Many of these vaccines are coming from Europe where some ingredients are not approved in the United States for use in the vaccines. Squalene is one example.

The Childhood Vaccine Safety Act of 1986 set up very clear safety guidelines to include the following measures.

1. Provide written benefit and risk information to parents before giving vaccines
2. Accurate written record of manufactures name and lot number must be kept
3. Childs medical record must have this information recorded
4. Close monitoring after vaccinations and reporting of all serious health problems that develop after vaccines and all adverse events must be reported to the Vaccine Adverse Events Reporting System VAERS.

QUESTION: How are the schools going to insure that these safety rules are followed? How are they going to comply with this act if they line children up in schools like cattle and vaccinate them? Are parents going to have the right to say NO?

There are reports across the country from people who have gotten the flu shots in the past that they have had the worst flu ever!

There is compelling evidence that people who get 5 consecutive flu shots in a 10 year period are 10X more likely to get alzheimers because of the accumulation of aluminum and mercury. Hugh Fudenburg, Immunologist.

References:

Toronto Sun, Feb 27, 2009

<http://www.newswithviews.com/Tenpenny/sherri6.htm>

www.novaccine.com

Are Vaccines Safe? DVD, Mary Tocco